To: Enck, Judith[Enck.Judith@epa.gov]

Cc: Evangelista, Pat[Evangelista.Pat@epa.gov]; Filippelli, John[Filippelli.John@epa.gov]; Iglesias,

Ariel[Iglesias.Ariel@epa.gov]; Everett, Adolph[Everett.Adolph@epa.gov]

From: Azzam, Nidal


Sent: Thur 7/28/2016 5:09:14 PM

Subject: Addressing your Request on Taconic Facility in Petersburgh



Judith,

At your request, Pat reached out to me requesting me to touch base with Thomas Gentile (NYSDEC, Air Toxics Section Chief) regarding the Taconic facility in Petersburgh, the concerned citizen over her PFOA blood level and her claim over the potential exposure pathway via historical air emissions. The scope of the request is to obtain more details about the facility type of operations, scope of the historical air sampling, and propose sampling from the interior surface(s) of the exhaust (or emission point post filtration). The discussion was very lengthy and detailed. Below is a summary.



that a historical MSDS sheet showed the PTFE product as containing 0.5% PFOA).
concern at that time. The testing did not include PFOA or PFAS parameters. Tom indicated
gases (i.e., some organics, benzene, toluene, NOX, etc). Hydrogen Fluoride was the major
lines, PTFE lines, etc.). They have tested primarily for PTFE decomposition products/poisonous
• \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

•□□□□□□□ I have asked Tom about the operating temperatures. He indicated that the
temperature went up as high as 785°F with average temperatures below 700 °F. I do know that
to fully destroy the PFOA by burning, the temperature needs to be around 1100°F. Tom
Indicated that he believes that the majority of the PFOA ended up in the waste water and filters.
Final disposition of historical PFOA containing waste water and filters is currently unknown.
I did indicate to Tom that the process at this facility is similar to the Saint Gobain in NH and he
agreed. I have made him aware of the NH AOC on PFOA emissions and the trace amounts of
PFOA found in air emissions at the other facility in Vermont (I believe) after years of phasing
out of PFOA usage. Tom indicated that PFOA air emission more likely occurred at the facility
prior to having controls in place. I have suggested to him to collect a particulate sample
from the interior surfaces of the emission point post filtration to assess an potential
historical PFOA air emissions. He indicated that he will take this into consideration and
consult with his chemist on this matter.

I did give Tom my contact information in case he wants to reach out to me and brainstorm on PFAS matters. I hope the above addresses your request.

Nidal Azzam, Base Program Management Section, Chief

Hazardous Waste Programs Branch

Clean Air and Sustainability Division

USEPA Region 2 290 Broadway, 22nd Floor New York, NY 10007 212-637-3748 Office 212-637-4437 Fax

